SECTION 1 - IDENTIFICATION

Product identifier/Trade name: IMPACT GLASS AND MULTI-SURFACE CLEANER

Other means of identification: WRBI

Recommended use: Ready to use window cleaner.

Restriction on use: For industrial, institutional and food plants use only.

Initial supplier identifier: CHEMOTEC (PM) Inc.

8820 Place Ray-Lawson ANJOU (Québec) H1J 1Z2

514-729-6321

Emergency phone number: (613) 996-6666 (CANUTEC)

SECTION 2 - HAZARDS IDENTIFICATION

2a GHS (Globally Harmonized System) classification

This product is classified as:

Flammable liquid — category 3

2b Label elements

Pictogram



Signal word Warning

Hazard statements

Flammable liquid and vapour.

Precautionary statements:

Keep away from heat/ hot surfaces/sparks/open flames and other ignition sources. No smoking. Keep container tightly closed.

Wear protective gloves and eye protection.

IN CASE OF FIRE: Use CO2, powder, or water spray to extinguish.

IF ON SKIN: Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water.

Store in a well-ventilated place. Keep cool.

Dispose of contents and container in accordance with local, provincial, and federal regulations.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS#	% (weight)	GHS CLASSIFICATION
	67-63-0		Flammable liquid, Category 3
Isopropyl alcohol		1-5	Eye damage/Irritation, Category 2 Specific target organ toxicity (single exposure)
			Category 3.
Dipropyleneglycol monomethyl	0.4500.04.0	0.1-1	Not described
ether	34590-94-8	0.1-1	Not classified

The actual concentrations are withheld as a trade secret.

SECTION 4 - FIRST AID MEASURES

4a Description of first aid measures

Eye contact:

Flush or rinse eyes with water after contact. If eye irritation persists, get medical advice.

Skin contact:

Take off immediately all contaminated clothing. Rinse skin with water.

Inhalation:

Remove person to fresh air. If irritation develops, get medical advice.

Ingestion:

Wash out mouth with water. In case of ingestion, if person is conscious, give plenty of water to dilute product. Stop if person is unwell as vomiting may be dangerous. Do not induce vomiting unless told to do so by medical personnel.

4b Most important symptoms and effects

The most important known symptoms and effects are described in the labelling (section 2b) and/or in section 11.

4c Immediate medical attention and special treatment needed.

No data available.

SECTION 5 - FIRE FIGHTING MEASURES

5a Extinguishing media

Suitable extinguishing media:

Water (if possible, avoid powerful sprays), dry chemicals, carbon dioxide.

Unsuitable extinguishing media:

None known.

Specific hazards for product

Hazardous combustion products:

Oxides of carbon, nitrogen, and other irritating gases.

Special protective equipment and precautions for firefighters

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of foam.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6a Personal precautions, protective equipment, and emergency procedures

Personal protection:

Avoid contact with eyes and skin. Use adequate aeration and ventilation. The floor will be slippery in case of a spill. Use appropriate personal protection equipment (see section 8)

6b Methods and materials for containment and cleaning:

Stop the leak. For large spills, pump the product into drums or clean up spills using absorbent material. Resume cleaning by rinsing with water. Caution: floors will be slippery.

6c Environmental precautions:

Product is biodegradable. Do not let go to the sewers.

SECTION 7 - HANDLING AND STORAGE

7a Precautions for Safe handling:

Avoid contact with eyes and skin. Wear rubber gloves and eye protection. Avoid heat/ hot surfaces/sparks/open flames and other ignition sources.

7b Condition for safe storage:

Store in a sealed container in a well-ventilated place. Do not store food products. Keep from freezing.

7c Special packaging materials: Store in its original container made of polyethylene or in other polyethylene containers.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

8a Control parameters

	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Isopropyl alcohol	200 ppm	400 ppm	
Dipropyleneglycol monomethyl ether	100 ppm	150 ppm	Skin

8b Engineering controls:

Provide adequate ventilation.

8c Individual protection measures

Respiratory Protection:

Not required under normal applications.

Respirator NIOSH/MSHA approved if large spill and lack of ventilation or if formation of mists.

Skin protection and other protective equipment:

Rubber gloves recommended. Waterproof boots in case of spills.

Eye / face protection:

Eye protection.

General hygiene considerations:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes and skin. Never eat, drink, or smoke in work areas. Good

hygiene is recommended after use of this product.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical stateBlue liquid,ColourBlueOdourMint scent

Melting point and freezing pointApproximately 0 °CBoiling point:Approximately 100 -240°C

Flammability N/A
Lower and upper flammability limit N/A

Flash point 47° (Closed cup)

Auto-ignition temperatureN/ADecomposition temperatureN/ApH10.5-11.5Viscosity:MiscibleSolubility in water:N/A

Partition coefficient – n-octanol/water Approximately 20 (water)
Vapour pressure (mm Hg) 1.0 g/cm³@ 25 °C

Specific gravity or density (water = 1 at 4 °C): Approximately 0.6 (water)

Relative vapour density

Particle characteristics

SECTION 10 - STABILITY AND REACTIVITY

N/A

10a Reactivity:

Not applicable when used as directed. It is incompatible with some materials, see below.

10b Chemical stability:

Stable at room temperature, in normal handling and storage conditions. Avoid heat/ hot surfaces/sparks/open flames and other ignition sources.

10c Possibility of hazardous reactions:

May react with strong oxidizing agents.

10d Conditions to avoid:

Avoid contact with strong oxidizers.

10e Incompatible materials

Strong oxidizers.

10f Hazardous decomposition products:

With strong oxidizers: heat, water vapours, possibility of fire.

SECTION 11 - TOXICOLOGICAL INFORMATION

Primary entry route(s): Eye and ingestion.

Eye: May irritate eyes.

Skin: May cause slight skin irritation, defatting.

Inhalation: EXPOSURE TO HIGH CONCENTRATIONS to isopropyl alcohol: Coughing. Dry/sore throat. Central nervous system

depression. Dizziness. Headache. Narcosis.

Ingestion:

AFTER ABSORPTION OF LARGE QUANTITIES of isopropyl alcohol: Central nervous system depression. Headache. Dilation of the blood vessels. Low arterial pressure. Nausea. Vomiting. Abdominal pain. Disturbed motor response. Disturbances of consciousness.

Carcinogenicity:No ingredient listed by IARC as a possible carcinogen.

Teratogenicity, mutagenicity, other reproductive effects: No applicable information found.

Skin sensitization: Ingredients not sensitizing

Respiratory tract sensitization:Not availableSynergistic materials:Not availableOther important hazards:Not available

Toxicological data: The calculated LD₅₀ for this product is greater than 10,000 mg/Kg, oral, rat; our products are not tested on animals.

Ingredient	LD _{50 (} route, species)	LC ₅₀ # hours (species)
Isopropyl alcohol	4710 mg/kg (oral, rat)	Not available
Dipropyleneglycol monomethyl ether	5,180 mg/kg (oral, rabbit)	Not available

For more details, refer to Section 3.

SECTION 12 - ECOLOGICAL INFORMATION

12a Ecotoxicity:

TOXICITY (Fish)	Results	Exposure time	Method
Isopropyl alcohol	Pimephales promeleas 9640 mg/L	96H	Not available
Dipropyleneglycol monomethyl ether	Pimephales promelas > 10,000 mg/L	96Н	Not available

TOXICITY (Daphnia)	Results	Exposure time	Method
Isopropyl alcohol	EC50 > 10000 mg/L	24H	Not available
Dipropyleneglycol monomethyl ether	1,919 mg/L	48H	Not available

TOXICITY (Algea)	Results	Exposure time	Method
Isopropyl alcohol	Scenedesmus quadricuada, toxicity threshold 1800 mg/L	72H	Not available
Dipropyleneglycol monomethyl ether	Selenastrum EC50 > 969 mg/L	3-4 days	Not available

12b Persistence and degradability: Product is biodegradable.

12c Bioaccumulation potential: Not available

12d Mobility in soil: There is no test data on this product.

12e Other adverse effectNo applicable information found

SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial, and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

Transportation of Dangerous Goods:

Exempted as an aqueous solution of alcohol.

UN number

Proper shipping name:

Class:

Packing group: Special case:

SECTION 15 - REGULATORY INFORMATION

In Canada

WHMIS information:

Product is regulated according to the Hazardous Products Regulations (HPR) in Canada. This product has been. classified in accordance with the hazard criteria of the HPR and this MSDS contains all the information required by the HPR.

WHMIS Classification:

See section 2a.

CEPA information: Ingredients are listed on the DSL inventory.

SECTION 16 - OTHER INFORMATION

Date of latest revision 2023-06-13

References:

- 1. Manufacturer'/suppliers' MSDS.
- 2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833
- 3. International Agency for Research on Cancer Monographs
- 4. The European Chemicals Agency (ECHA) website.

Abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Service

CEPA Canadian Environmental Protection Act

cps Centipoises

DSL Domestic Substance List

HMIS Hazardous Material Information System
IARC International Agency for Research on Cancer

LC Lethal concentration

LD Lethal Dosage
N/Av Not available
N/Ap Not Applicable

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit
TLV Threshold Limit Value

WHMIS Workplace Hazardous Materials Information System

End of the MSDS