

**SECTION 1 - IDENTIFICATION**

**Product identifier/Trade name:** PIN PLUS CONCENTRATED POWDERED CLEANER AND DEGREASER

**Other means of identification:** PIPL

**Recommended use:** CONCENTRATED CLEANER & DEGREASER IN POWDER FORM

**Restriction on use:** For industrial, institutional and food plants use only.

**Initial supplier identifier:** Chemotec (PM) Inc.  
8820 Place Ray-Lawson  
Anjou, Quebec, Canada H1J 1Z2  
Phone: (514) 729-6321; 1-800-729-6321

**Emergency phone number:** (613) 996-6666 (CANUTEC)

**SECTION 2 - HAZARDS IDENTIFICATION**

**2a WHMIS 2015 - GHS (Globally Harmonized System) classification**

This product is classified as:  
Skin Corrosion/Irritation — category 1,  
Serious eye damage/eye irritation — category 1  
Specific target organ toxicity (single exposure) — category 3

**2b Label elements**



**Pictograms**

**Precautionary statement**

**Avoid breathing dust or mist. Use only outdoors or in a well-ventilated area.**  
**Wash hands thoroughly after handling. Wear rubber gloves, protective clothing, eye or face protection.**  
**IF SWALLOWED:** Rinse mouth. **DO NOT** induce vomiting. Immediately call a **POISON CENTER** or doctor.  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a **POISON CENTER** or doctor.  
**IF ON SKIN or hair:** Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a **POISON CENTER** or doctor. Wash contaminated clothing before reuse.



**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

**Storage:** Store locked up. Keep only in original packaging. Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents and container in accordance with local, provincial and federal regulations.

**Signal word:**

**Danger**

**Hazard statement**

**Causes severe skin burns and eye damage. May cause respiratory irritation.**



**SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredients	CAS #	% (weight)	GHS CLASSIFICATION
Ethoxylated alcohol	68131-39-5	1-5	Eye irritation, category 2, Skin irritation, category 2
Sodium carbonate or Soda ash	497-19-8	15-40	Eye irritation, category 2
Sodium metasilicate	6834-92-0	15-40	Eye irritation, category 2; Skin irritation category 2 Specific target organ toxicity (single exposure) category 3
Trisodium phosphate	7601-54-9	0.1-0.7	Skin irritation, Category 2 Eye irritation, Category 2

The actual concentrations are withheld as a trade secret.

**SECTION 4 - FIRST AID MEASURES**

**4a Description of first aid measures**

**Eye contact:**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**Skin contact:**

Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

**Inhalation:**

Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

**Ingestion:**

Rinse mouth. Call a doctor if you feel unwell. Never give anything by mouth if the person is unconscious

**4b Most important symptoms and effects**

- Eye:** May cause irritation, burns, redness, tears, burning sensation.
- Skin:** May cause irritation, burns.
- Inhalation:** May cause irritation and burns to respiratory tract.

**Ingestion:** May cause irritation, burns, headache, abdominal pain, diarrhoea, nausea and vomiting.

**4c Immediate medical attention and special treatment needed**

No applicable information found.

**SECTION 5 - FIRE FIGHTING MEASURES**

**5a Extinguishing media**

Suitable extinguishing media:

Water (if possible avoid powerful sprays), foam, dry chemicals, carbon dioxide. Product itself is not flammable.

Unsuitable extinguishing media:

None known.

**Specific hazards for product**

Hazardous combustion products:

Oxides of carbon, phosphorus and other irritating gases.

**Special protective equipment and precautions for firefighters**

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of foam.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**6a Personal precautions, protective equipment and emergency procedures**

Personal protection:

Wear gloves and safety glasses. Use adequate aeration and ventilation. Floor will be slippery in case of a spill.

Use appropriate personal protection equipment (see section 8)

**6b Methods and materials for containment and cleaning:**

Pick up product and put back in containers or into drums for disposal. Resume cleaning by rinsing with water.

Caution: floors will be slippery.

**6c Environmental precautions:**

Product is biodegradable but contains phosphates.

**SECTION 7 - HANDLING AND STORAGE**

**7a Precautions for safe handling:**

Avoid contact with eyes and skin. Avoid breathing dust.

**7b Condition for safe storage:**

Store in a sealed container in a well-ventilated place. Do not store with food products.

**7c Special packaging materials:** none.

Avoid contact with strong acids.

<b>SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION</b>
--

**8a Control parameters**

	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Ethoxylated alcohol	None established	None established	
Sodium carbonate	None established	None established	
Sodium metasilicate	None established	None established	
Trisodium phosphate	None established	None established	

**8b Engineering controls:**

Ventilation to avoid dust in the air.

**8c Individual protection measures**

Respiratory Protection:

Not required under normal applications. If dust is generated during use, wear mask for dusts.

Skin protection and other protective equipment:

Waterproof boots for large spills. Rubber gloves in case of possible contact.

Eye / face protection:

Safety glasses.

General hygiene considerations:

**KEEP OUT OF REACH OF CHILDREN.** Avoid contact with eyes and skin. Avoid breathing dusts or mists. Never eat, drink, or smoke in work areas. Good hygiene is recommended after use of this product.

<b>SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES</b>
---

<b>Appearance and odor:</b>	Yellow powder with pine oil odor.
<b>Odour threshold:</b>	Not available
<b>pH :</b>	Approximately 12 at 30 g/L
<b>Melting point and freezing point:</b>	Not available
<b>Boiling point:</b>	Not applicable
<b>Flash point:</b>	None
<b>Evaporation rate (n-BuAc =1):</b>	Not applicable
<b>Lower flammable limit (% by volume):</b>	Not applicable
<b>Upper flammable limit (% by volume):</b>	Not applicable
<b>Explosion data - Sensitivity to mechanical impact:</b>	Not sensitive
<b>Explosion data - Sensitivity to static discharge:</b>	Not sensitive
<b>Vapour pressure (mm Hg)</b>	Not applicable
<b>Vapour density:</b>	Not applicable
<b>Specific gravity or density (water = 1 at 4 °C):</b>	Not applicable
<b>Solubility in water:</b>	High solubility
<b>Partition coefficient – n-octanol/water:</b>	Not available
<b>Auto-ignition temperature:</b>	Not available
<b>Decomposition temperature</b>	Not available
<b>Viscosity:</b>	Not applicable

<b>SECTION 10 - STABILITY AND REACTIVITY</b>
--

**10a Reactivity:**

Not applicable when used as directed.

**10b Chemical stability :**

Stable at room temperature, in normal handling and storage conditions.

**10c Possibility of hazardous reactions:**

May react with strong acids.

**10d Conditions to avoid:**

Avoid contact with strong acids.

**10e Incompatible materials**

Strong acids

**10f Hazardous decomposition products:**

With strong acids: heat, water vapor.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

**Primary entry route(s):** Eye and ingestion.

**Eye:** May cause irritation, burns, redness, tears, burning sensation.

**Skin:** May cause irritation and burns.

**Inhalation:** Breathing dust may cause irritation and burns of respiratory tract.

**Ingestion:** May cause irritation, burns, headache, abdominal pain, diarrhoea, nausea and vomiting.

**Carcinogenicity:**

No ingredient listed by IARC as a possible carcinogen.

**Teratogenicity, mutagenicity, other reproductive effects:**

Mutagenic tests have been negative for ingredients

**Skin sensitization:**

Ingredients not sensitizing as per OECD 406

**Respiratory tract sensitization:**

Not available

**Synergistic materials:**

Not available

**Other important hazards:**

Not available

**Toxicological data:** The calculated LD<sub>50</sub> for this product is greater than 2,500 mg/Kg, oral, rat but is corrosive; our products are not tested on animals.

Ingredient	LD <sub>50</sub> (route, species)	LC <sub>50</sub> # hours (species)
Sodium carbonate	4,090 mg/kg (oral, rat) 2,210 mg/kg (dermal, lapin)	Not available
Ethoxylated alcohol	>2,000 mg/kg (oral, rat) >2,000 mg/kg (dermal, rabbit)	Not available Not available
Sodium metasilicate	1,153 mg/kg (oral, rat)	Not available
Trisodium phosphate	>2,000 mg/kg (oral, rat) >2,000 mg/kg (dermal, rabbit)	Not available

For more details, refer to Section 3.

**SECTION 12 - ECOLOGICAL INFORMATION**

**12a Ecotoxicity :**

TOXICITY (Fish)	Results	Exposure time	Method
Ethoxylated alcohol	70.1 mg/kg	48H	Not available
Sodium carbonate	Trout and salmon: 68-80 mg/L	96H	Not available
Sodium metasilicate	Leuciscus idus: >146 mg/L	48H	Not available
Trisodium phosphate	>100 mg/L	96H	Not available

TOXICITY (Daphnia)	Results	Exposure time	Method
Ethoxylated alcohol	5.3 mg/L	48H	Not available
Sodium carbonate	>146mg/L	24H	OCDE 202
Sodium metasilicate	>300 mg/L	48H	Not available
Trisodium phosphate	>100 mg/L	48H	Not available

TOXICITY (Algae)	Results	Exposure time	Method
Ethoxylated alcohol	NOT AVAILABLE		
Sodium carbonate	Selenastrum EC50 230 mg/L	96H	Not available
Sodium metasilicate	Desmodemus subspicatus EC50 207 mg/l	72H	Not available
Trisodium phosphate	>100 mg/L	72H	Not available

**12b Persistence and degradability:** Product is expected to be readily biodegradable as per OECD 301.

**12c Bioaccumulation potential:** Not available

**12d Mobility in soil:** There is no test data on this product.

**12e Other adverse effect** Contains small amount of phosphates.

### SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial and local regulations.

### SECTION 14 - TRANSPORTATION INFORMATION

**Transportation of Dangerous Goods (TDG) in Canada :**

Not regulated

UN number

UN3253

Proper shipping name:

Disodium trioxosilicate

Class:

8

Packing group:

III

Special case:

### SECTION 15 - REGULATORY INFORMATION

**In Canada**

**WHMIS information:**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and this safety data sheet (SDS) contain all the information required by the HPR.

**WHMIS Classification:** See section 2a

**CEPA information:** Ingredients are listed on the DSL inventory.

### SECTION 16 - OTHER INFORMATION

**Date of latest revision:** 2017-11-23

**References:**

1. Manufacturer'/suppliers' MSDS.
2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833
3. International Agency for Research on Cancer Monographs
4. The European Chemicals Agency (ECHA) website.

**Abbreviations:**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
cps	Centipoises
DSL	Domestic Substance List
HMIS	Hazardous Material Information System
IARC	International Agency for Research on Cancer
LC	Lethal concentration
LD	Lethal Dosage
Not available	Not available
N/Ap	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
TLV	Threshold Limit Value
WHMIS	Workplace Hazardous Materials Information System

End of the MSDS