# **SECTION 1 - IDENTIFICATION**

Product identifier/Trade name:	OXY-BLEND CLEANER AND STAIN REMOVER, Tangerine oil
Other means of identification:	ХСТО
Recommended use:	CLEANER AND STAIN REMOVER
Restriction on use:	For industrial, institutional and food plants use only.
Initial supplier identifier:	Chemotec (PM) Inc. 8820 Place Ray-Lawson Anjou, Quebec, Canada H1J 1Z2 Phone: (514) 729-6321; 1-800-729-6321
Emergency phone number:	(613) 996-6666 (CANUTEC)

# SECTION 2 - HAZARDS IDENTIFICATION

# 2a WHMIS 2015 - GHS (Globally Harmonized System) classification

This product is not classified. **2b Label elements** None

**Precautionary statement** 

Signal word:

Hazard statement

# SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS #	%	GHS CLASSIFICATION
<b>.</b>		(weight)	
Sodium linear alkylbenzene sulfonate	68081-81-2	1-5	Acute toxicity oral and skin contact, category 4
			Eye irritation, category 2
Hydrogen peroxide	70161-44-3	1-5	At this concentration, not classified
Ethoxylated alcohol	68991-48-0	4-7	Eye irritation, category 2
The actual concentrations are withhal	d as a trada socrat		

The actual concentrations are withheld as a trade secret.

# SECTION 4 - FIRST AID MEASURES

#### 4a Description of first aid measures

#### Eye contact:

Flush or rinse eyes with water after contact. If eye irritation persists, get medical advice.

Skin contact:

Rinse thoroughly with water. If irritation occurs, get medical advice.

#### Inhalation:

Bring person to fresh air.

#### Ingestion:

Rinse mouth with water. Never give anything by mouth if the person is unconscious.

# 4b Most important symptoms and effects

Eye:	May cause irritation, redness, tears, burning sensation.
Skin:	May cause irritation. Contact with product may whiten skin for a few minutes.
Inhalation:	Over-exposure by inhalation may cause respiratory irritation.
Ingestion:	May cause slight irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

# 4c Immediate medical attention and special treatment needed

No special treatment

# SECTION 5 - FIRE FIGHTING MEASURES

# 5a Extinguishing media

Suitable extinguishing media: Water (if possible avoid powerful sprays), foam, dry chemicals, carbon dioxide. Product itself is not flammable but it can generate oxygen when decomposing. Unsuitable extinguishing media: None known.

# Specific hazards for product

Hazardous combustion products: Oxides of carbon, nitrogen and other irritating gases.

# Special protective equipment and precautions for firefighters

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of foam.

# SECTION 6 - ACCIDENTAL RELEASE MEASURES

# 6a Personal precautions, protective equipment and emergency procedures

Personal protection:

Avoid contact with eyes. Use adequate aeration and ventilation. Floor will be slippery in case of a spill. Use

appropriate personal protection equipment (see section 8)

#### 6b Methods and materials for containment and cleaning:

Stop the leak. For large spills, pump the product into drums or clean up spills using absorbent material. Resume cleaning by rinsing with water. Caution: floors will be slippery.

#### 6c Environmental precautions:

Product is biodegradable. Do not let large quantities go to the sewers.

# SECTION 7 - HANDLING AND STORAGE

#### 7a Precautions forSafe handling:

Avoid contact with eyes. When used as directed, no special precautions.

#### 7b Condition for safe storage:

Store in a sealed container in a well-ventilated place. Do not store with food products. Keep from freezing.

# 7c Special packaging materials: none.

No incompatibility with most materials found in most workplaces.

# SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8a Control parameters

	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Sodium lauryl sulfate or	None established	None established	
Sodium coco-sulfate			
Hydrogen peroxide	1 ppm	None established	

#### 8b Engineering controls:

Not required under normal applications.

#### 8c Individual protection measures

Respiratory Protection:

Not required under normal applications.

Skin protection and other protective equipment:

In case of possible contact, wear rubber gloves. Waterproof boots for large spills.

#### Eye / face protection:

Not required under normal applications. In case of possible contact, wear safety glasses

General hygiene considerations:

**KEEP OUT OF REACH OF CHILDREN.** Avoid contact with eyes. Never eat, drink, or smoke in work areas. Good hygiene is recommended after use of this product.

#### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Colour Odour Melting point and freezing point Boiling point: Flammability Lower and upper flammability limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity: Solubility in water: Partition coefficient – n-octanol/water Vapour pressure (mm Hg) Specific gravity or density (water = 1 at 4 °C):	Clear liquid. Colorless Tangerine scent Approximately 0 °C Approximately 100 °C N/A N/A None to boil N/A N/A Approximately 5 <100 cps @ 25 °C Miscible N/A Approximately 20 (water) 1.0 g/cm <sup>3</sup> @ 20 °C Approximately 0 6 (water)
Relative vapour density	Approximately 0.6 (water) N/A

# SECTION 10 - STABILITY AND REACTIVITY

#### 10a Reactivity:

Not applicable when used as directed.

#### 10b Chemical stability :

Stable at room temperature, in normal handling and storage conditions.

#### 10c Possibility of hazardous reactions:

May react with strong alkalis and strong reducing agents.

#### 10d Conditions to avoid:

Avoid contact with strong alkalis and strong reducing agents. Hydrogen Peroxide, a minor component of this product is a strong oxidizer. It is not flammable itself, but it can cause spontaneous combustion of flammable materials and continued support of the combustion because it liberates oxygen as it decomposes.

#### 10e Incompatible materials

Strong alkalis and strong reducing agents.

#### **10f Hazardous decomposition products:**

With strong acids: heat, water vapour. With strong reducing agents: water vapours and oxygen.

# SECTION 11 - TOXICOLOGICAL INFORMATION

#### **Primary entry route(s):** Eye and ingestion.

- *Eye:* May cause irritation, redness, tears, burning sensation.
- *Skin:* May cause irritation. Contact may whiten skin for a few minutes.
- Inhalation: Over-exposure by inhalation may cause respiratory irritation.

*Ingestion:* May cause slight irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

Carcinogenicity:	No ingredient listed by IARC as a possible
	carcinogen to humans.
Teratogenicity, mutagenicity, other reproductive effects:	Mutagenic tests have been negative for ingredients
Skin sensitization:	Ingredients not sensitizing as per OECD 406
Respiratory tract sensitization:	Not available
Synergistic materials:	Not available
Other important hazards:	Not available

**Toxicological data:** The calculated LD<sub>50</sub> for this product is greater than 10,000 mg/Kg, oral, rat; our products are not tested on animals.

Ingredient	LD <sub>50</sub> (route, species)	LC <sub>50</sub> # hours (species)
Sodium linear alkylbenzene sulfonate	>2,000 mg/kg (oral, rat)	N/Av
	1,080 mg/kg (dermal, rabbit)	
Hydrogen peroxide	694 mg/kg (oral, rat)	N/Av
	2,000 mg/kg (dermal, rabbit)	
Ethoxylated alcohol	2,000 mg/kg (oral, rat)	N/Av

#### For more details, refer to Section 3.

# SECTION 12 - ECOLOGICAL INFORMATION

#### 12a Ecotoxicity :

TOXICITY (Fish)	Results	Exposure time	Method
Sodium linear	Rainbow trout	96h	Not available
alkylbenzene sulfonate	LC50 3.6 mg/L		
Hydrogen peroxide	Fish: 16.4 mg/L	96H	Not available
Ethoxylated alcohol	Fish: 70.7 mg/L	96H	Not available

TOXICITY (Daphnia)	Results	Exposure time	Method
Sodium linear	EC50: 1.62 mg/L	48H	Not available
alkylbenzene sulfonate			
Hydrogen peroxide	EC50: 7.7 mg/L	48H	Not available
Ethoxylated alcohol	5.3 mg/L	48H	Not available

TOXICITY (Algea)	Results	Exposure time	Method
Sodium linear	Selenastrum capricornutum	96H	Not available
alkylbenzene sulfonate	EC50 29 mg/L		
Hydrogen peroxide	Selenastrum capricornutum EC50 = 4,05-21,26 mg/L	96H	Not available
Ethoxylated alcohol	Selenastrum capricornutum	96H	Not available
	EC50 = 4,01 mg/L		

#### 12b Persistence and degradability:

Product is expected to be readily biodegradable as per OECD 301.

12c Bioaccumulation potential: Not bio accumulating

**12d Mobility in soil:** There is no test data on this product.

# 12e Other adverse effect No applicable information found

# SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial and local regulations.

For additional information, at the federal level, see http://www.ec.gc.ca/gdd-

mw/default.asp?lang=En&n=39D0D04A-1

In Alberta, see http://esrd.alberta.ca/waste/hazardous-waste-management/default.aspx

In B.C., see http://www2.gov.bc.ca/gov/topic.page?id=DC31CEF84F634025839C66F7F80164E8

In Manitoba, see http://www.gov.mb.ca/conservation/eal/haz-waste/faq/index.html

In New-Brunswick, see http://breaudisposal.nb.ca/breaudisposal/prohibited\_waste.htm

In NFLD, see http://www.env.gov.nl.ca/env/env\_protection/waste/

Material Safety Data Sheet: SAFEBLEND DISH DETERGENT

Page 5 of 6

In Northwest territories, see http://www.enr.gov.nt.ca/programs/hazardous-waste

In Nova Scotia, see http://novascotia.ca/snsmr/paal/nse/paal180.asp

In Nunvaut, see http://www.nmto.ca/course/other-training/hazardous-waste-management

In Ontario, see https://www.ontario.ca/environment-and-energy/hazardous-waste-managementbusiness-and-industry

In PEI, see http://www.gov.pe.ca/environment/hazardous-waste

In Quebec, see http://www.mddelcc.gouv.qc.ca/matieres/dangereux/

In Saskatchewan, see http://www.publications.gov.sk.ca/details.cfm?p=24515

In Yukon, see http://www.env.gov.yk.ca/air-water-waste/special\_waste\_regs.php

#### SECTION 14 - TRANSPORTATION INFORMATION

#### Transportation of Dangerous Goods (TDG) in Canada :

Not regulated UN number Proper shipping name: Class: Identification number: Packing group: Special case:

Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

# SECTION 15 - REGULATORY INFORMATION

#### In Canada

#### WHMIS information:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (H and this safety data sheet (SDS) contains all the information required by the HPR.

WHMIS 2015 See section 2a

**CEPA information:** Ingredients are listed on the DSL inventory.

# SECTION 16 - OTHER INFORMATION

# Date of latest revision 2023-06-13 References:

- 1. Manufacturer'/suppliers' MSDS.
- 2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833.
- 3. International Agency for Research on Cancer Monographs
- 4. The European Chemicals Agency (ECHA) website.

# Abbreviations:

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
cps	Centipoises
DSL	Domestic Substance List
HMIS	Hazardous Material Information System
IARC	International Agency for Research on Cancer
LC	Lethal concentration

LD	Lethal Dosage
N/Av	Not available
N/Ap	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
TLV	Threshold Limit Value
WHMIS	Workplace Hazardous Materials Information System
	End of the MSDS