

SECTION 1 - IDENTIFICATION

Product identifier/Trade name: SAFEBLEND FLOOR STRIPPER
Other means of identification: FCSX
Recommended use: Stripper for floor finishes
Restriction on use: For industrial, institutional and food plants use only.
Initial supplier identifier: Chemotec (PM) Inc.
5800 ONTARIO E.
MONTRÉAL, QC H1N 0A2
Phone: (514) 729-6321; 1-800-729-6321
Emergency phone number: 1-800-729-6321
(Available from 8:00am to 4:30pm Monday to Friday)

SECTION 2 - HAZARDS IDENTIFICATION**2a WHMIS 2015 - GHS (Globally Harmonized System) classification**

This product is classified as a category 2 skin irritant and a category 2 eye irritant.

2b Label elements**Pictogram****Signal word:**

Warning.

Precautionary statement

Wash hands thoroughly after handling. Wear safety glasses. Wear rubber gloves in case of possible contact.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

IF ON SKIN: Wash with plenty of water for several minutes. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice.

Hazard statement

Causes eye irritation. Causes skin irritation.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS #	% (weight)	GHS CLASSIFICATION
Monoethanolamine	141-43-5	< 3	Oral toxicity, category 4; Dermal toxicity, category 4 Inhalation toxicity, category 4 Eye, skin and respiratory irritation, category 2 (when present at less than 10%)



Safety Data Sheet: **SAFEBLEND FLOOR STRIPPER**

Ethyleneglycol monophenyl ether or glycol ether EPH or 2-phenoxyethanol	122-99-6	5-10	Oral toxicity, category 4; Eye irritation, category 2
Dipropylene glycol monomethyl ether or glycol ether DPM	34590-94-8	10-30	Not classified
Sodium laurylsulfate or Sodium cocosulfate	151-21-3	1-5	Oral toxicity, category 4; Eye irritation, category 2; Skin irritation, category 2

The actual concentrations are withheld as a trade secret.

SECTION 4 - FIRST AID MEASURES

4a Description of first aid measures

Eye contact:

Immediately rinse with plenty of water for several minutes, keeping eyelids open. If irritation persists seek medical attention.

Skin contact:

Rinse with water. If irritation develops, consult medical personnel.

Inhalation:

Bring person to fresh air. If irritation persists, get medical advice.

Ingestion:

Rinse mouth. Call a doctor if you feel unwell. Never give anything by mouth if the person is unconscious

4b Most important symptoms and effects

- Eye:** Causes irritation, redness, tears, burning sensation.
- Skin:** Causes irritation which could be severe if not rinsed rapidly.
- Inhalation:** Causes irritation of respiratory tract.
- Ingestion:** Causes irritation, possible burns, headache, abdominal pain, diarrhoea, nausea and vomiting.

4c Immediate medical attention and special treatment needed

Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. No specific antidote. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn, after decontamination.

SECTION 5 - FIRE FIGHTING MEASURES

5a Extinguishing media

Suitable extinguishing media:
Water (if possible, avoid powerful sprays), foam, dry chemicals, carbon dioxide. Product itself is not flammable.
Unsuitable extinguishing media:
None known.

Specific hazards for product

Hazardous combustion products:
Oxides of carbon, nitrogen and other irritating gases.



Special protective equipment and precautions for firefighters

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of foam.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6a Personal precautions, protective equipment and emergency procedures

Personal protection:

Avoid contact with eyes and skin. Avoid breathing vapours. Use adequate aeration and ventilation. Wear gloves, waterproof boots, safety glasses and in case of a major spill and if necessary, wear a mask for organic vapours. Floor will be slippery in case of a spill.

6b Methods and materials for containment and cleaning:

Stop the leak. For large spills, pump the product into drums or clean up spills using absorbent material. Resume cleaning by rinsing with water. Caution: floors will be slippery.

6c Environmental precautions:

Do not let large quantities go to the sewers.

SECTION 7 - HANDLING AND STORAGE

7a Precautions for Safe handling:

Avoid contact with eyes and skin. Avoid breathing vapours. Wear gloves, safety glasses and non-slippery footwear.

7b Condition for safe storage:

Store in a sealed container in a well-ventilated place. Do not store with food products. Keep from freezing.

7c Special packaging materials: none.

Avoid contact with acids and strong oxidizers

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

8a Control parameters

	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Monoethanolamine	3 ppm	6 ppm	
Dipropyleneglycol monomethyl ether	100 ppm	150 ppm	Skin

8b Engineering controls:

Good ventilation.

8c Individual protection measures

Respiratory Protection:

Not required under normal applications.



Skin protection and other protective equipment:
Waterproof non-slippery boots. Rubber gloves.

Eye / face protection:
Safety glasses

General hygiene considerations:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes and skin. Avoid breathing vapours. Never eat, drink, or smoke in work areas. Good hygiene is recommended after use of this product.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Colour	Colorless
Odour	Characteristic odor
Melting point and freezing point	Approximately 0 °C
Boiling point:	Approximately 100 °C
Flammability	N/A
Lower and upper flammability limit	N/A
Flash point	Greater than 96°C
Auto-ignition temperature	N/A
Decomposition temperature	N/A
pH	11.5 - 12
Viscosity:	<100 cps @ 24 °C
Solubility in water:	Miscible
Partition coefficient – n-octanol/water	N/A
Vapour pressure (mm Hg)	0.5 h Pa for the most volatile ingredient
Specific gravity or density (water = 1 at 4 °C):	1.03 g/cm ³ @ 20 °C
Relative vapour density	2.1 for the most volatile ingredient
Particle characteristic	N/A

SECTION 10 - STABILITY AND REACTIVITY

10a Reactivity:

Not applicable when used as directed.

10b Chemical stability:

Stable at room temperature, in normal handling and storage conditions.

10c Possibility of hazardous reactions:

No polymerisation

10d Conditions to avoid:

Product may decompose at high temperatures.

10e Incompatible materials

Acids, strong oxidizers.

10f Hazardous decomposition products:

With oxidizers: oxides of carbon and nitrogen; with acids: heat, water vapour.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity

- Eye:** Causes irritation, redness, tears, burning sensation.
- Skin:** Causes irritation which could be severe if not rinsed rapidly.
- Inhalation:** Causes irritation of respiratory tract.
- Ingestion:** Causes irritation, possible burns, headache, abdominal pain, diarrhoea, nausea and vomiting.

- Carcinogenicity:** No ingredient listed by IARC as a possible carcinogen.
- Teratogenicity, mutagenicity, other reproductive effects:** Not available
- Skin sensitization:** Ingredients not sensitizing
- Respiratory tract sensitization:** Not available
- Synergistic materials:** Not available
- Other important hazards:** Not available

Toxicological data: The calculated LD₅₀ for this product is greater than 9,000 mg/Kg, oral, rat; our products are not tested on animals.

Ingredient	LD ₅₀ (route, species)	LC ₅₀ # hours (species)
Glycol ether DPM	5,180 mg/kg (oral, rabbit)	LOAEL = 500 ppm
Monoethanolamine	1,089 mg/Kg (oral, rat) 2504 mg/Kg (dermal, rat)	Estimate LC ₅₀ , 4H vapour, rat >1.48 mg/L
Glycol ether EPH	1,400 mg/kg (oral, rat) 5,000 mg/kg (dermal, rabbit)	Not available
Sodium laurylsulfate	1,200 mg/kg (oral, rat) 1,200 mg/kg (dermal, rabbit)	Not available

For more details, refer to Section 3.

SECTION 12 - ECOLOGICAL INFORMATION

12a Ecotoxicity:

TOXICITY (Fish)	Results	Exposure time	Method
Monoethanolamine	Cyprinus carpio (carpe) LC ₅₀ 349 mg/L	96H	N/A
Glycol ether DPM	Pimephales promelas > 10,000 mg/L	96H	N/A
Glycol ether EPH	Pimephales promelas 344 mg/L	96H	N/A
Sodium laurylsulfate	Macrones vittatus 1,39 mg/L	96H	N/A

TOXICITY (Daphnia)	Results	Exposure time	Method
Monoethanolamine	EC ₅₀ = 120 mg/L	24H	N/A
Glycol ether DPM	1,919 mg/L	48H	N/A
Glycol ether EPH	Not available		
Sodium laurylsulfate	EC ₅₀ = 1.35 mg/l	24H	EPA-600/4-85/013

TOXICITY (Algae)	Results	Exposure time	Method
Monoethanolamine	Selenastrum capricornutum 2.8 mg/l	72H	N/A
Glycol ether DPM	Selenastrum EC ₅₀ > 969 mg/L	3-4 DAYS	N/A
Glycol ether EPH	Desmodesmus subspicatus EC ₅₀ >500 mg/L	72H	N/A
Sodium laurylsulfate	Sel. capricornutum EC ₅₀ = 3.75 mg/l	8 DAYS	N/A

12b Persistence and degradability: Product is readily biodegradable



12c Bioaccumulation potential: Not available
12d Mobility in soil: There is no test data on this product.
12e Other adverse effect No applicable information found

SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

Transportation of Dangerous Goods (TDG) in Canada: Not regulated

UN number	Not applicable
Proper shipping name:	Not applicable
Class:	Not applicable
Identification number:	Not applicable
Packing group:	Not applicable
Special case:	Not applicable

SECTION 15 - REGULATORY INFORMATION

In Canada

WHMIS information:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and this safety data sheet (SDS) contains all the information required by the HPR.

WHMIS Classification: See section 2a

CEPA information: Ingredients are listed on the DSL inventory.

SECTION 16 - OTHER INFORMATION

Date of latest revision: 2025-12-23

References:

1. Manufacturer'/suppliers' MSDS.
2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833
3. International Agency for Research on Cancer Monographs
4. The European Chemicals Agency (ECHA) website.

Abbreviations:

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Service
CEPA	Canadian Environmental Protection Act
cps	Centipoises



DSL	Domestic Substance List
HMIS	Hazardous Material Information System
IARC	International Agency for Research on Cancer
LC	Lethal concentration
LD	Lethal Dosage
N/Av	Not available
N/Ap	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
TLV	Threshold Limit Value
WHMIS	Workplace Hazardous Materials Information System

End of the MSDS